












### 3. Cable kit G: floor-mounted cable kit

Finished material number	3BWBW01-00108																																												
Gross weight	3.95Kg																																												
Dimension	650mm*220mm*100mm																																												
Shipping configuration	Every 5 cable kits are packed into 1 carton (5PMPA04-00371). Carton size: 670*545*235mm, can fit 4 cartons on each pallet layer. Batteries take 7 layers, carton for cable kit take 1 layer: 28 batteries per pallet, max 20 cable kits, total height: 2160mm																																												
Screen printing-front	  																																												
Screen printing-back	       Paste on the back: 5PMPA07-00322 Print production date, production SN+ barcode.																																												
Screen printing-inner hinge	<p>Packing list:</p> <table border="0"> <tr> <td><input type="checkbox"/> Base</td> <td>~1 pcs</td> <td><input type="checkbox"/> Expansion screw M8*60</td> <td>~4 pcs</td> </tr> <tr> <td><input type="checkbox"/> Anti-tipping bracket</td> <td>~2 pcs</td> <td><input type="checkbox"/> Screw M5*12</td> <td>~1 pcs</td> </tr> <tr> <td><input type="checkbox"/> Wiring bracket</td> <td>~2 pcs</td> <td><input type="checkbox"/> Screw M4*6</td> <td>~1 pcs</td> </tr> <tr> <td><input type="checkbox"/> Top cover of handle</td> <td>~2 pcs</td> <td><input type="checkbox"/> Plastic screw</td> <td>~5 pcs</td> </tr> <tr> <td><input type="checkbox"/> Power cable 2.5m/4AWG positive</td> <td>~1 pcs</td> <td><input type="checkbox"/> Cover of power terminal</td> <td>~4 pcs</td> </tr> <tr> <td><input type="checkbox"/> Power cable 2.5m/4AWG negative</td> <td>~1 pcs</td> <td><input type="checkbox"/> Terminal of RJ45</td> <td>~2 pcs</td> </tr> <tr> <td><input type="checkbox"/> Grounding cable 2.0m/6AWG</td> <td>~1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CAN cable 2.5m/RJ45</td> <td>~1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td><input type="checkbox"/> RS485 cable 2.5m/RJ45</td> <td>~1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td><input type="checkbox"/> Link cable 1.5m</td> <td>~1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WIFI block</td> <td>~1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> </table> <p>Note: <input checked="" type="checkbox"/> means item not included in this KIT</p> <p>Designed to replace packing list</p>	<input type="checkbox"/> Base	~1 pcs	<input type="checkbox"/> Expansion screw M8*60	~4 pcs	<input type="checkbox"/> Anti-tipping bracket	~2 pcs	<input type="checkbox"/> Screw M5*12	~1 pcs	<input type="checkbox"/> Wiring bracket	~2 pcs	<input type="checkbox"/> Screw M4*6	~1 pcs	<input type="checkbox"/> Top cover of handle	~2 pcs	<input type="checkbox"/> Plastic screw	~5 pcs	<input type="checkbox"/> Power cable 2.5m/4AWG positive	~1 pcs	<input type="checkbox"/> Cover of power terminal	~4 pcs	<input type="checkbox"/> Power cable 2.5m/4AWG negative	~1 pcs	<input type="checkbox"/> Terminal of RJ45	~2 pcs	<input type="checkbox"/> Grounding cable 2.0m/6AWG	~1 pcs	<input type="checkbox"/>		<input type="checkbox"/> CAN cable 2.5m/RJ45	~1 pcs	<input type="checkbox"/>		<input type="checkbox"/> RS485 cable 2.5m/RJ45	~1 pcs	<input type="checkbox"/>		<input type="checkbox"/> Link cable 1.5m	~1 pcs	<input type="checkbox"/>		<input type="checkbox"/> WIFI block	~1 pcs	<input type="checkbox"/>	
<input type="checkbox"/> Base	~1 pcs	<input type="checkbox"/> Expansion screw M8*60	~4 pcs																																										
<input type="checkbox"/> Anti-tipping bracket	~2 pcs	<input type="checkbox"/> Screw M5*12	~1 pcs																																										
<input type="checkbox"/> Wiring bracket	~2 pcs	<input type="checkbox"/> Screw M4*6	~1 pcs																																										
<input type="checkbox"/> Top cover of handle	~2 pcs	<input type="checkbox"/> Plastic screw	~5 pcs																																										
<input type="checkbox"/> Power cable 2.5m/4AWG positive	~1 pcs	<input type="checkbox"/> Cover of power terminal	~4 pcs																																										
<input type="checkbox"/> Power cable 2.5m/4AWG negative	~1 pcs	<input type="checkbox"/> Terminal of RJ45	~2 pcs																																										
<input type="checkbox"/> Grounding cable 2.0m/6AWG	~1 pcs	<input type="checkbox"/>																																											
<input type="checkbox"/> CAN cable 2.5m/RJ45	~1 pcs	<input type="checkbox"/>																																											
<input type="checkbox"/> RS485 cable 2.5m/RJ45	~1 pcs	<input type="checkbox"/>																																											
<input type="checkbox"/> Link cable 1.5m	~1 pcs	<input type="checkbox"/>																																											
<input type="checkbox"/> WIFI block	~1 pcs	<input type="checkbox"/>																																											
																																													

### 3.1. Content




No	quantity	material code	describe
1.	1	5STPT05-00008	<p>PELIO- Base</p> 
2.	1	5WRPY02-00845	<p>PELIO-2.5m cable / 4AWG positive</p> 
3.	1	5WRPY02-00846	<p>PELIO-2.5 m cable / 4AWG negative</p> 
4.	1	5WRPY01-00561	<p>PELIO-2.5 m RS485 communication cable / RJ45</p> 

5.	1	5WRPY01-00785	<p>PELIO-2.5 m CAN communication cable / RJ45</p> 
6.	2	1PACN04-00006	<p>Communication port</p> 
7.	1	5WRPY03-00005	<p>PELIO grounding cable</p> 
8.	2	5STPT01-00121	<p>PELIO - Anti-tipping bracket</p> 
9.	2	5STPT01-00042	<p>TS51100-Pelio/outlet bracket</p>





			
10.	2	5STFA01-00061	<p>Screw / M5×12</p> 
11.	4	5STFA02-00058	<p>Screw / M4×6</p> 
12.	4	5STFA01-00007	<p>Expansion screw / M8*60</p> 

13.	4	5STAS12-00009	<p>TSP120-R- waterproof cover</p> 
14.	2	5STPT02-00138	<p>PELIO- handle baffle</p> 
15.	5	5STFA01-00081	<p>Nylon countersunk head screw / M5×10</p> 
16.	1	1PARF04-00003	<p>WIFI block</p> 

#### 4. Cable kit w: wall-mounted cable kit

Finished material number	3BWBW01-00107																																												
Gross weight	5.5Kg																																												
Dimension	650mm*220mm*100mm																																												
Shipping configuration	<p>Every 5 cables are packed into 1 carton (5PMPA04-00372).            Carton size: 670*545*250mm, can fit 4 cartons on each pallet layer.            Mixed deliveries are possible only when the batteries are 6 layers and the carton of cable kit takes up 1 layer:            24 batteries per pallet, max 20 cable kits, total height:1920mm</p>																																												
Screen printing-front																																													
Screen printing-back	 <p>Paste on the back:            5PMPA07-00322            Print production date, production SN+ barcode.</p>																																												
Screen printing-inner hinge	<p>Packing list:</p> <table border="0"> <tr> <td><input type="checkbox"/> Base</td> <td>-1 pcs</td> <td><input type="checkbox"/> Expansion screw M8*60</td> <td>-8 pcs</td> </tr> <tr> <td><input type="checkbox"/> Anti-tipping bracket</td> <td>-2 pcs</td> <td><input type="checkbox"/> Screw M5*12</td> <td>-1 pcs</td> </tr> <tr> <td><input type="checkbox"/> Wiring bracket</td> <td>-2 pcs</td> <td><input type="checkbox"/> Screw M4*6</td> <td>-1 pcs</td> </tr> <tr> <td><input type="checkbox"/> Top cover of handle</td> <td>-2 pcs</td> <td><input type="checkbox"/> Plastic screw</td> <td>-5 pcs</td> </tr> <tr> <td><input type="checkbox"/> Power cable 1.2m/4AWG positive</td> <td>-1 pcs</td> <td><input type="checkbox"/> Cover of power terminal</td> <td>-4 pcs</td> </tr> <tr> <td><input type="checkbox"/> Power cable 1.2m/4AWG negative</td> <td>-1 pcs</td> <td><input type="checkbox"/> Terminal of RJ45</td> <td>-2 pcs</td> </tr> <tr> <td><input type="checkbox"/> Grounding cable 2.0m/6AWG</td> <td>-1 pcs</td> <td><input type="checkbox"/> Right bracket</td> <td>-1 pcs</td> </tr> <tr> <td><input type="checkbox"/> CAN cable 2.5m/RJ45</td> <td>-1 pcs</td> <td><input type="checkbox"/> Left bracket</td> <td>-1 pcs</td> </tr> <tr> <td><input type="checkbox"/> RS485 cable 2.5m/RJ45</td> <td>-1 pcs</td> <td><input type="checkbox"/> Screw M6*16</td> <td>-4 pcs</td> </tr> <tr> <td><input type="checkbox"/> Link cable 1.5m</td> <td>-1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WIFI block</td> <td>-1 pcs</td> <td><input type="checkbox"/></td> <td></td> </tr> </table> <p>Designed to replace packing list</p>	<input type="checkbox"/> Base	-1 pcs	<input type="checkbox"/> Expansion screw M8*60	-8 pcs	<input type="checkbox"/> Anti-tipping bracket	-2 pcs	<input type="checkbox"/> Screw M5*12	-1 pcs	<input type="checkbox"/> Wiring bracket	-2 pcs	<input type="checkbox"/> Screw M4*6	-1 pcs	<input type="checkbox"/> Top cover of handle	-2 pcs	<input type="checkbox"/> Plastic screw	-5 pcs	<input type="checkbox"/> Power cable 1.2m/4AWG positive	-1 pcs	<input type="checkbox"/> Cover of power terminal	-4 pcs	<input type="checkbox"/> Power cable 1.2m/4AWG negative	-1 pcs	<input type="checkbox"/> Terminal of RJ45	-2 pcs	<input type="checkbox"/> Grounding cable 2.0m/6AWG	-1 pcs	<input type="checkbox"/> Right bracket	-1 pcs	<input type="checkbox"/> CAN cable 2.5m/RJ45	-1 pcs	<input type="checkbox"/> Left bracket	-1 pcs	<input type="checkbox"/> RS485 cable 2.5m/RJ45	-1 pcs	<input type="checkbox"/> Screw M6*16	-4 pcs	<input type="checkbox"/> Link cable 1.5m	-1 pcs	<input type="checkbox"/>		<input type="checkbox"/> WIFI block	-1 pcs	<input type="checkbox"/>	
<input type="checkbox"/> Base	-1 pcs	<input type="checkbox"/> Expansion screw M8*60	-8 pcs																																										
<input type="checkbox"/> Anti-tipping bracket	-2 pcs	<input type="checkbox"/> Screw M5*12	-1 pcs																																										
<input type="checkbox"/> Wiring bracket	-2 pcs	<input type="checkbox"/> Screw M4*6	-1 pcs																																										
<input type="checkbox"/> Top cover of handle	-2 pcs	<input type="checkbox"/> Plastic screw	-5 pcs																																										
<input type="checkbox"/> Power cable 1.2m/4AWG positive	-1 pcs	<input type="checkbox"/> Cover of power terminal	-4 pcs																																										
<input type="checkbox"/> Power cable 1.2m/4AWG negative	-1 pcs	<input type="checkbox"/> Terminal of RJ45	-2 pcs																																										
<input type="checkbox"/> Grounding cable 2.0m/6AWG	-1 pcs	<input type="checkbox"/> Right bracket	-1 pcs																																										
<input type="checkbox"/> CAN cable 2.5m/RJ45	-1 pcs	<input type="checkbox"/> Left bracket	-1 pcs																																										
<input type="checkbox"/> RS485 cable 2.5m/RJ45	-1 pcs	<input type="checkbox"/> Screw M6*16	-4 pcs																																										
<input type="checkbox"/> Link cable 1.5m	-1 pcs	<input type="checkbox"/>																																											
<input type="checkbox"/> WIFI block	-1 pcs	<input type="checkbox"/>																																											
																																													

## 4.1. Content

No	quantity	material code	describe
1.	1	5STPT01-00122	<p>PELIO- left bracket</p> 
2.	1	5STPT01-00123	<p>PELIO- right bracket</p> 
3.	1	5STPT05-00008	<p>PELIO- Base</p> 
4.	1	5WRPY02-00847	<p>PELIO-1.2 m cable / 4AWG positive</p> 
5.	1	5WRPY02-00848	<p>PELIO-1.2 m cable / 4AWG negative</p>

			
6.	1	5WRPY01-00561	<p>PELIO-2.5 m RS485 communication cable / RJ45</p> 
7.	1	5WRPY01-00785	<p>PELIO-2.5 m CAN communication cable / RJ45</p> 
8.	2	1PACN04-00006	<p>Communication port</p> 
9.	1	5WRPY03-00005	<p>PELIO grounding cable</p> 



10.	2	5STPT01-00121	<p>PELIO- anti-tipping bracket</p> 
11.	2	5STPT01-00042	<p>TS51100-Pelio/outlet bracket</p> 
12.	2	5STFA01-00061	<p>Screw / M5×12</p> 
13.	4	5STFA02-00058	<p>Screw / M4×6</p> 
14.	4	5STFA01-00040	<p>Screw / M6X16</p>

			
15.	8	5STFA01-00007	Expansion screw / M8*60 
16.	4	5STAS12-00009	TSP120-R- waterproof  cover
17.	2	5STPT02-00138	PELIO- handle baffle 
18.	5	5STFA01-00081	Nylon countersunk head screw / M5×10

			
19.	1	1PARF04-00003	<p>WIFI block</p> 